

WWW.ZBTJX.COM



温州智博机械科技有限公司  
Wenzhou Zhibo Machical Technology Co.,ltd

**ZBE** 温州智博机械科技有限公司  
Wenzhou Zhibo Machical Technology Co.,ltd

地址:温州市龙湾区沙城镇永强大道2521号  
手机: 13858875088  
电话: 0086-577-86926776  
传真: 0086-577-86926226  
网址: www.zbtjx.com  
E-mail:zb@zbtjx.com

Add:2521.no.yongqiang avenue  
shacheng town longwan wenzhou  
M.B: 13858875088  
Tel:0577-86926776  
Fax:0577-86926226  
Http://www.zbtjx.com  
E-mail:zb@zbtjx.com

真空系统零部件的专业制造商

professional vacuum system components manufacturer

Enterprise Honors 资质荣誉



◎ 机器设备

◎ 仓库

◎ 办公室

一流设备、一流品质

一流的企业硬件设施

TOP

EQUIPMENTS, TOP QUALITY  
HARDWARE INFRASTRUCTURES



- 1: ISO法兰和组件  
ISO Flanges and Components
- 2: KF (NW) 法兰和组件  
KF(NW) Flanges and Components
- 3: CF法兰和组件  
CF Flanges and Components
- 4: 弯头、三通、十字架、大小头、焊接管和焊接接头。  
Elbow, Tee, Cross, Conical Reducers, Tubing and Weld Fittings
- 5: 波纹管 and 焊接接头  
Bellows and Weld Fittings
- 6: 阀门和组件  
Valves and Components
- 7: 紧固件  
Clamps
- 8: 密封组件  
Centering Rings





**Bellows**

SIZE:ISO KF  
MATERIAL:304



**Adapter flange**

SIZE:ISO-ISO ISO-KF  
MATERIAL:304.304L.316L



**Centering Rings**

SIZE:ISO-KF  
MATERIAL:304.AL  
O-Rings Material:Viton NBR



**Clamps**

SIZE:KF ISO



**Valve**

Nozzle SIZE:Tube KF ISO CF  
Vacuum Rate:10<sup>-3</sup> torr



**Adapter flange**

SIZE:KF-KF  
MATERIAL:304.304L.316L



**KF(NW) Clamps**

SIZE:KF10-KF50  
MATERIAL:304



**KF(NW) Clamps**

SIZE:KF10-KF50  
MATERIAL:AL







**ISO Flange**

SIZE:ISO63-ISO250  
MATERIAL:304.304L.316L



**KF(NW) Flange**

SIZE:KF63-KF100  
MATERIAL:304.304L.316L



**Tees**

SIZE:KF(NW) ISO CF  
MATERIAL:304.304L.316L



**Tee Cross.ConRed**

SIZE:1/2" -8"  
MATERIAL:304.304L.316L  
STANDARD:3A.DIN.JIS.BPE SMS



**KF(NW) Flange-Short**

SIZE:KF10-KF50  
MATERIAL:304.304L.316L  
USE:Welding pipes and bellows



**KF(NW) Flange-Long**

SIZE:KF10-KF50  
MATERIAL:304.304L.316L  
USE:Welding pipes



**Elbows(90° 45°)**

SIZE:1/2" -8"  
MATERIAL:304.304L.316L  
STANDARD:3A.DIN.JIS.BPE SMS



**Special Products**

customized products on request

